

Ergofocus

& Paxfocus

1983

DESIGN: DOMINIQUE IMBERT

The timeless design of the Ergofocus, created in 1983, earned it the honour of being exhibited at Stockholm's Museum of Modern Art.

Four decades on, it now exists in four different fuel types to suit every requirement and environment.

Its streamlined shape, ergonomic design and compact size make the Ergofocus a perfect fit for any space, multiplying the possibilities to have a suspended, pivoting fireplace in an interior.



focus®

CREATE BEYOND CONVENTION

Ergofocus

wood-burning (Ecodesign)



2022 WOOD-BURNING

The Ergofocus has been reissued in a closed, ecodesigned version, replacing the open wood version. It offers excellent energy and environmental performance.



Ergofocus

wood-burning (Ecodesign)



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
670	950	950	150	16

SAFETY DISTANCE FROM COMBUSTIBLE MATERIALS

FRONT (mm)	BACK (mm)	SIDE (mm)	FLOOR (mm)
800	500	500	40

SAFETY DISTANCE FROM GLASS SURFACES (mm)

1000

TECHNICAL SPECIFICATIONS


HEAT OUTPUT (kW)	EFFICIENCY (%)	MINIMUM ROOM VOLUME (m³)
10	80	80

FINISH

Black

Ergofocus

wood-burning (Ecodesign)



Ergofocus

electric (Holographik®)



2026 CONNECTED HOLOGRAPHIK®

The first electric fire for all the senses from Focus

Designed for home interiors as well as spaces that welcome the public such as hotels or event venues, the Connected Ergofocus offers a fully immersive experience of fire with the ease of use of app operation.



Ergofocus

electric (Holographik®)



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
685	950	950	90	16

TECHNICAL SPECIFICATIONS

CONSUMPTION (W)
100

ELECTRICAL POWER SUPPLY


100 à 240 V / 50 à 60 Hz

FINISH

Black	White
-------	-------

Ergofocus

electric (Holographik®)



Ergofocus

gas



2024 GAS

The Ergofocus is now also available in a gas version, operated by remote control. At the touch of a button, the fire can be lit, the flame intensity and heat adjusted, or a programme set for controlled, constant, comfortable heat. This model won a Gold German Design Award on its launch.



Ergofocus

gas



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
665	950	950	85	16

DISTANCE FROM COMBUSTIBLE MATERIALS

FRONT (mm)	BACK (mm)	SIDE (mm)	FLOOR (mm)
300	300	300	0

SAFETY DISTANCE FROM GLASS SURFACES (mm)

500

TECHNICAL SPECIFICATIONS

NATURAL GAS HEAT OUTPUT (kW)	PROPANE HEAT OUTPUT (kW)	NATURAL GAS CONSUMPTION (m³/h)	PROPANE CONSUMPTION (m³/h)
13.5	13	1.26	0.373

ELECTRICAL POWER SUPPLY


Batteries

FINISH

Black	White
-------	-------

Ergofocus

gas



Ergofocus

bioethanol



2024 BIOETHANOL

Smokeless, with no external flue: the installation possibilities are endless!

Fuelled with bioethanol and fitted with a fully electronic, safe burner (made in France), this fireplace is operated by remote control. It is smokeless and does not require an external flue outlet, allowing unprecedented freedom of installation on any floor.



Ergofocus

bioethanol



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
685	950	950	90	16

SAFETY DISTANCE FROM COMBUSTIBLE MATERIALS

FRONT (mm)	BACK (mm)	SIDE (mm)	FLOOR (mm)
800	300	300	0

SAFETY DISTANCE FROM GLASS SURFACES (mm)

500

WITH EXTERNAL OUTLET

HEAT OUTPUT (kW)	TANK CAPACITY (L)	AUTONOMY (h)	MIN. CEILING VOLUME (m³)
9.5	5	3	0

WITHOUT EXTERNAL OUTLET

HEAT OUTPUT (kW)	TANK CAPACITY (L)	AUTONOMY (h)	MIN. CEILING HEIGHT (m)	MIN. ROOM VOLUME (m³)
7.5	5	4	2.50	150

ELECTRICAL POWER SUPPLY

Batteries

FINISH

Black	White
-------	-------

Ergofocus

bioethanol




*if not connected to an external outlet

Ergofocus

outdoor (wood-burning)



The outdoor models are available with a black anti-corrosion finish or a rusted finish, both developed by Focus for exterior use. The rusted surface gradually changes, so the patina gains character over time.



Ergofocus

outdoor (wood-burning)



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
685	950	950	68	16

SAFETY DISTANCE FROM COMBUSTIBLE MATERIALS

FRONT (mm)	BACK (mm)	SIDE (mm)	FLOOR (mm)
800	800	800	600

SAFETY DISTANCE FROM GLASS SURFACES (mm)


500

FINISH

Outdoor black	Rusted steel
---------------	--------------

Ergofocus

outdoor (wood-burning)



Paxfocus

outdoor (wood-burning)



The Paxfocus shares the same design, but while the Ergofocus is suspended, the Paxfocus is mounted to the wall.

The outdoor models are available with a black anti-corrosion finish or a rusted finish, both developed by Focus for exterior use. The rusted surface gradually changes, so the patina gains character over time.



Paxfocus

outdoor (wood-burning)



DIMENSIONS / WEIGHT

HEIGHT (mm)	WIDTH (mm)	DEPTH (mm)	FIREPLACE WEIGHT (kg)	FLUE WEIGHT (kg/linear metre)
685	950	650	66	16

SAFETY DISTANCE FROM COMBUSTIBLE MATERIALS

FRONT (mm)	BACK (mm)	SIDE (mm)	FLOOR (mm)
800	0	500	600

SAFETY DISTANCE FROM GLASS SURFACES (mm)



500

FINISH

Outdoor black	Rusted steel
---------------	--------------

Paxfocus

outdoor (wood-burning)





CREATE BEYOND CONVENTION

